



 **LOOM<sup>+</sup>**

WOVEN DESIGN FLOORING





reddot award 2014  
winner



Reinventing Spaces

### **LOOM**<sup>+</sup>  
WOVEN DESIGN FLOORING

ACCENTS + KNIT  
ACCENTS FR-2104  
KNIT FT-2206





CONTENT

04 LOOM<sup>+</sup> DIFFERENCE

10 DESIGN COLLECTION

24 INSTALLATION CONCEPT GUIDE

28 GLOBAL REFERENCES

38 TECHNICAL INFORMATION



# LOOM+ DIFFERENCE

DESIGN and TECHNOLOGY  
are woven together

LOOM+  
DIFFERENCE

04/05



## Infinite DESIGN spectrum

Only LOOM+ enables unique variation of creating your own floor by mixing and matching different patterns in two tile sizes.

## Distinguished NOX Ecotecture® Multi-layer Property

The first woven flooring with proven NOX Ecotecture® Multi-layer Property that ensures the most stable and durable installation.





reddot award 2014  
winner

LOOM+  
DIFFER-  
ENCE


06/07

# The LOOM+ DESIGN PLAY WITH COLOR, SIZE,

# and TEXTURE

## Profound Color Composition

Realizing multiple tones of color - carefully selected by artists - we provide you with very unique colors that expresses LOOM+ in harmony with surrounding interiors.




## Infinite array of color and texture

Available in 47 colors covering diverse tones like neutral, cool, warm, light, and dark in four different yarn thicknesses, we give you seven unique design patterns.




## Designed for mix & match

Creative and unique 'mix & match' only by LOOM+ is realized by introducing the same weaving system to seven design patterns.



## Optimal 2 Size variation

With our unique 2 module sizes of 50cm x 50cm and 50cm x 100cm, the first introduced in woven flooring market, you can elevate the flat environments to inspiring interior spaces.



50x50cm  
Standard size




100x50cm  
Double size

# The LOOM + TECHNOLOGY Proven Innovation

## Distinguished NOX Ecotecture® Multi-layer Property

NOXEcotecture® Multi-layerProperty featured with innovative functionality and safety, proven in more than 50 countries over 20 years



### Safe

Certified non-toxic, phthalate-free, and fiberglass-free fabric



### Clean

Xtreme CLEANguardPU Coating treatment applied to resist stain by not absorbing liquids and thus making spills quick and easy to clean



### Tough

Approved for heavy commercial use



### Quick

Quick and Easy ECOLAY® installation without glue



### Easy

Minimal cleaning time and low maintenance



### Silent & Soft

Soft surface absorbing sound



### Consistent thickness

Consistent product thickness by patterns and size for mixing and matching different patterns



### Fray-proof

Clean-cut finishing for preventing fraying



### Non-Slip

Slip-resistance with woven fabric surface



### Colorfast

Colorfast properties retain gorgeous original colors over time





**LOOM<sup>+</sup>**  
**NEW COLLECTION**

DESIGN COLLECTION  
LOOM<sup>+</sup> 1st EDITION  
10/11





# ACCENTS

Stylish & Decorative

Mix & match installation with knit and hand-stitch lines provides diverse floor designs. Sophisticated weaving structure coming in different thicknesses realizes never-seen before innovative floor textures.



FR-2102



FR-2103



FR-2104



FR-2105



FR-2106



# KNIT

Cozy & Elegant

Having a structure most widely used in home interior materials, our designs harmonize well with various spaces. Although it has solid color tone in general, profound colors can be represented by mixing neutral colors like gray and brown.



FT-2201




FT-2202



FT-2203



FT-2204



FT-2206



FT-2207



FT-2208



FT-2209



FT-2210



FT-2211



FT-2212






# PIN-STRIPE

Modern & Retro-pop

Now with modern sensitivity, retro-pop mood and unique colors enable unique one-of-a-kind point design in commercial spaces




FR-2301



FR-2302



FR-2304



FR-2306



FR-2308



# CRAFT

Natural & Comfortable

Our basic weaving structure pattern comfortably fits deluxe design for any space. Thanks to our reliable basic color adding capability, we are able to provide elegant feel to offices and banks.



FT-2001



FT-2003



FT-2004



FT-2005




FT-2007



FT-2008




FT-2009



FT-2010



FT-2011



FT-2012




FT-2014



FT-2015



FT-2016



FT-2018



FT-2019



FT-2020





# CORD

Cosmopolitan Style

It has a structure enabling modern design in various spaces. Brown colors covering from neutral and dark tones provide high-end ambiance to commercial spaces and offices.



FT-1204



FT-1205



FT-1206



FT-1208



FT-1209



# HAND-STITCH

Back to Nature

The structure tightly woven with lattice pattern, providing a feel similar to rattan, harmonizes well with various wood furniture. It can be widely used to design spaces of natural tone.


# VINTAGE

Modern Rustic

The tough structure with unique woven texture and dark brown color tone will create surface interest. Unique striations of Vintage line accentuate the pattern for a chic upgrade to the common textile visual.

DESIGN  
COLLEC-  
TION

22/23



FT-1802




FT-1803



FT-1804



FT-1806




FT-1302



# LOOM<sup>+</sup>

## CONCEPT GUIDE



INSTALLATION  
CONCEPT GUIDE




Reinvent Spaces with

# LOOM<sup>+</sup> PLAY!

Your flat environments will become more stylish with unlimited design options of LOOM<sup>+</sup>. Why don't you enjoy creating your own design by mixing & matching different patterns and colors in 2 size variations?




50x50cm




100x50cm


## LOOM<sup>+</sup> PLAY ONE




LOOM PLAY #1




LOOM PLAY #2




LOOM PLAY #3




LOOM PLAY #4




LOOM PLAY #5



LOOM PLAY #6




LOOM PLAY #7




LOOM PLAY #8


## LOOM<sup>+</sup> PLAY TWO




LOOM PLAY #9




LOOM PLAY #10




LOOM PLAY #11




LOOM PLAY #12




LOOM PLAY #13




LOOM PLAY #14




LOOM PLAY #15




LOOM PLAY #16




LOOM PLAY #17



LOOM PLAY #18



LOOM PLAY #19



LOOM PLAY #20





**LOOM+**  
**CREATE**  
**YOUR OWN DESIGN**

GLOBAL REFERENCES

28/29

**CRAFT+ CRAFT**

FT-2001 FT-2003 FT-2005  
FT-2014 FT-2018




Art Gallery & Museum

Restaurant



**HAND STITCH + HAND STITCH**


FT-1802 FT-1803  
FT-1804 FT-1806



LOOM PLAY #9

**KNIT+ KNIT**

FT-2201 FT-2203 FT-2204  
FT-2206 FT-2208




LOOM PLAY #10





**CRAFT+ CRAFT**


FT-2001 FT-2004  
FT-2011 FT-2018



LOOM PLAY #7

**CORD + CORD**

FT-1205 FT-1206  
FT-1208




LOOM PLAY #1






**KNIT+ KNIT**  
FT-2208 FT-2212




LOOM PLAY #8

**PIN STRIPE + CRAFT**  
PIN STRIPE FR-2301  
CRAFT FT-2014





LOOM PLAY #1





LOOM PLAY #1

CRAFT  
FT-2011



LOOM PLAY #13

KNIT+ KNIT  
FT-2202 FT-2203 FT-2204  
FT-2208 FT-2209 FT-2212



## 1. Size & Packing

Size(mm)	Thickness(mm)	Pcs/Box	m <sup>2</sup> /Box	Kg/m <sup>2</sup>
500x500	3	16 pcs/box	4 m <sup>2</sup>	5.0
	5	10 pcs/box	2.5 m <sup>2</sup>	8.2
1000x500	3	8 pcs/box	4 m <sup>2</sup>	5.0
	5	5 pcs/box	2.5 m <sup>2</sup>	8.2

## 2. Test Result

Test Item		Standard	LOOM <sup>+</sup>
Level of use		EN 685	33
Fraying		EN 1814	Frayproof
Thermal resistance		ISO 8302	0.02m <sup>2</sup> K/W
Castor chair resistance		EN 985	No damage
Dimensional stability		ISO 23999 / EN 434 EN 986	≤ 0.10% ( Norm: ≤ 0.25% ) Passed
Fire resistance		EN 13501	Bfl -s1
Formaldehyde group		EN 717-1	E1
Indoor air quality			Low VOC
Underfloor heating		EN 12524	Suitable
Light fastness		ISO 105-B02	≥ 6
Slip resistance		DIN 51130 EN 13893	R10 DS
Flexibility		ISO 24344	Passed
Impact sound insulation		ISO 10140-3	9dB
Body Voltage		EN 1815	< 2kV
Squareness & Straightness		ISO 24342 ASTM F2055	No deviation ≤ 0.01 in
Residual indentation		EN 433 ASTM F1914	≤ 0.1mm < 8%
Resistance to chemicals		ISO 26987 ASTM F925	No Defects No Defects

## 3. Caution

Condition in at least 18°C or the normal temperature of the room where the product is to be laid, for at least 48 hours before installing. Cartons must be stacked less than 5 high and tiles removed 30 minutes before use. The site conditions must be maintained during installation and for at least 48 hours after completion. NOX Corporation will not accept claims where these instructions have not been followed.

## 4. Certificate



Visit [www.loomplus.com](http://www.loomplus.com) for the detailed installation / maintenance guides and technical information.





Designed and Manufactured by NOX Corporation

**Corporate Office**

Yoonil Bldg, 5F 336 Hyoryeong-ro  
Seocho-Gu, 137-865, Seoul, Korea  
Tel +82-2-520-7600  
Fax +82-2-598-9674  
[www.noxprime.com](http://www.noxprime.com)  
E-mail [info@noxprime.com](mailto:info@noxprime.com)

**Production Facilities**

Godeok Factory  
Bongsan Factory  
Deoksan Factory  
Choongnam, Korea